




VSP HOMOLOGIES



TO FIG. 1B.

FIG. 1A.

2/9

FROM FIG. 1A.

ŝ


PROWITIG. IA.								
	1	20	125	130)	135	140	145
VSP-b	双环	EES	EGEK	TAFE	SGRI	EOK	MAWY	A CLEK
VSP-a	XXXX	EV8	ECIE		SORI	EOK	QAVTE	SNEK
T.phos	XOE	VIEK	EGEK	VFLE	TGRS	ERH	RSVEV	EMEM
Ph.vulg	XXX	EVS	EGYK		SGRL	KDK	RAVIE	ANEK
Ar.VSP					SDRY	KKE		
Ar.1A-1	XEX				SDRY	KKE	SEVIEVE	NEK
Ar17A-1	X GIN	山原	VOME		SVRW	KE	MKNVTI	口以语目
			•			*		
		50	155)	165	170	175
A CONTRACTOR OF THE PROPERTY O				E E KE		運	VALSY	SAM
VSP-a				EEKE		STP		CTAA
				ELRG				REPR
				EEKO		SAE		
Ar.VSP	AVG	ZZ KV	AKHV	EKE	VS K	E TO	VVY	
Ar.1A-1				EEKE			VVY	
Ar17A-1	AAGI	ATIVN	YKHALE	自自以日	AGISIN	RO	WWW.	GSKV
					•	,		
		180	185	18	90	195	200	205
VSP-b	REVI	LRE)GYR	VG	IGDO	MSOI	E GDE	CES
VSP-a	KEK	LRE	BAN	VOI	COO	WSBI	LGGH	OES
T.phos	KNAN	VXE	SFR	VEN	36100	WSDI	LGSSN	IS Y
Ph.vulg	RAK	VQE		VGN	GDG	WNDI	KGENE	
Ar.VSP	NNS!	XX.	IC X N		8 CH B 6	MACOL	VEDIL	
							VEDTE	
Ar17A-1	KINKI	WIKIK	CINEN	EVENE	<u> </u>	WAIDIE		
		040		040				
VSP-b		210	HBX1838	218				1
		~ ~~~	ELY	AA MAAA BARK BARK				
T.phos			# N 868					
Ph.vulg Ar.VSP								
Ar.1A-1				WPS				
Ar17A-1			PLYY	WIND N				
WILLWALL F	ENGLARIA CONTRACTOR	REPORT OF	BLXX	S MINIS				

FIG. 1B.

PROPOSED VSPB METHIONINE-ENRICHED VARIANTS									
	11	5	10		15	20		<u> 25</u>	30
		EVKC	ASF	RLA	VEA	HNIR	RAFI	KTIPE	
VSPB-Met10		M				M			M
VSPB-Met20		M				M			M
VSPB-Met30		M				M		M	M
	04	OF	40		45	50	,	55	60
VSPA	31 巨PT	35 KDYII	NG EC)ED				FFYA	
VSPB-Met10		M	MGEC		<u>GDG.</u> M	X I DIN	<u> </u>	1117	M
VSPB-Met20		M			M				M
VSPB-Met30	M	M			M	M			M
<u>voi /3-1110000</u>		141		··········		····			
	61 ·	65	70		<u>75</u>	80		<u>85</u>	90
VSPB		HNDI	F I FG			<u>LSNI</u>	PYY	EKHG	YGV
VSPB-Met10		M		<u>M_</u>	<u>M</u>		<u></u>		
VSPB-Met20		M M		M_	<u> </u>				<u>M</u>
VSPB-Met30	. M	M M		M	M	M			M
	04	95	100		105	11	N	115	120
VSPR	91	NETH	A D EM	MM				LKNY	NKI
VSPB-Met10		IN ETTE	IDLY	V	<u> </u>	11 /14	<u> </u>	<u> </u>	
VSPB-Met20		M		M					
VSPB-Met30		M		M			•		
101 /3-1110100	. ''								
	121	125	130		135_	14	0	145	150
VSPB	LSL	<u> </u>	VFLS	GR'	YLDI	<u>MAV</u>	TIEM	NLKK	AGF
VSPB-Met10		M				<u>M</u>		<u>M</u>	. 0.0
VSPB-Met20		M	<u>M-</u>		<u>M</u>	<u>M</u>		<u>M</u> _	<u>M</u>
VSPB-Met30	<u>M</u>	M	M		M	<u>M</u>	<u>M</u>	M	<u>M</u>
	151	155	160		165	170	0	175	180
	HTW		LKIDIP	HL	ITPN			AMRE	
VSPB-Met10					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			M	M
VSPB-Met20	-			1	Λ	M		M	M
VSPB-Met30			M	M	Л	M		M	<u>M</u>
•		405	400		405	200	•	205	210
Vend	181	185	190	501	195 VS D I				
CHOV	RQG	RIV		שעע	<u> </u>	LGD	M M	ESRT	FAL
VSPB-Met10 VSPB-Met20			M			M	M	М	
VSPB-Met30		 -	M		-:	M	M	M	
VOID-IVIOUU			<u>M</u>			141	141	141	
	211	215 2	18						
VSPB	PNP	IYYN	E						
VSPB-Met10		<u> M</u>							
VSPB-Met20		<u> M</u>							
VSPB-Met30		<u>/ M</u>							

FIG. 2.

HYDROPATHY INDEX COMPUTATION FOR SEQUENCE VSPB. TOTAL NUMBER OF AMINO ACIDS IS: 218.



HYDROPATHIC INDEX OF VSPB FROM AMINO ACID 1 TO AMINO ACID 218. COMPUTED USING AN INTERVAL OF 9 AMINO ACIDS. (GRAVY=-4.95).

FIG. 3A.

HYDROPATHY INDEX COMPUTATION FOR SEQUENCE VSPM10. TOTAL NUMBER OF AMINO ACIDS IS: 218 50 **HYDROPHOBIC** 40 30 20 10 -10 -20 -30 -40 **HYDROPHILIC -50**


FIG. 3B.

HYDROPATHIC INDEX OF VSPM1 FROM AMINO ACID 1 TO AMINO ACID 218. COMPUTED USING AN INTERVAL OF 9 AMINO ACIDS. (GRAVY=5.52).

Application No: 09/478,567 Amendment Dated: August 9, 2004 Reply to Office Action of April 8, 2004 REPLACEMENT SHEET

6/9






HYDROPATHIC INDEX OF VSPM20 FROM AMINO ACID 1 AMINO ACID 210. COMPUTED USING AN INTERVAL OF 9 AMINO ACIDS. (GRAVY=-5.68).

FIG. 3C.

HYDROPATHY INDEX COMPUTATION FOR SEQUENCE VSPM30. TOTAL NUMBER OF AMINO ACIDS IS: 218.



HYDROPATHIC INDEX OF VSPM30 FROM AMINO ACID 1 TO AMINO ACID 218. COMPUTED USING AN INTERVAL OF 9 AMINO ACIDS. (GRAVY=-5.31).

FIG. 3D.

VSPβ-met10 sequence

	<u>SfiI</u>	
1	GGCCCAGCCGGCCAGATCTTCGGAGATGAAATGCGCTAGCTTTAGGCTTGCTGTGGAAGC	60
	CCGGGTCGGCCGGTCTAGAAGCCTCTACTTTACGCGATCGAAATCCGAACGACACCTTCG	
61	<u>ACACAACATGCGAGCCTTTAAAACCATTCCTGAAGAGTGCATGGAACCAACAAAGGACTA</u>	120
	TGTGTTGTACGCTCGGAAATTTTGGTAAGGACTTCTCACGTACCTTGGTTGTTTCCTGAT	
121	CATGAATGGCGAACAATTTCGAATGGACTCTAAAACAGTTAACCAACAGGCCTTCTTTTA	180
	GTACTTACCGCTTGTTAAAGCTTACCTGAGATTTTGTCAATTGGTTGTCCGGAAGAAAAT	
181	TGCTAGTGAAATGGAAATGCATCACAACGACATGTTTATATTCGGCATGGATAACACCAT	240
	ACGATCACTTTACCTTACGTAGTGTTGCTGTACAAATATAAGCCGTACCTATTGTGGTA	
241	GCTCTCTAATATCCCATACTATGAAAAACATGGATATGGGGTGGAGGAATTTAATGAAAC	300
	CGAGAGATTATAGGGTATGATACTTTTTGTACCTATACCCCACCTCCTTAAATTACTTTG	
301	CTTATATGATGAATGGGTTAACAAGGGCGACGCACCGGCATTGCCAGAGACTCTTAAAAA	360
	GAATATACTACTTACCCAATTGTTCCCGCTGCGTGGCCGTAACGGTCTCTGAGAATTTTT	
361	TTACAACAAGCTGATGTCCCTTGGCTTCAAGATGGTATTCTTGTCAGGAAGGTACCTTGA	420
	AATGTTGTTCGACTACAGGGAACCGAAGTTCTACCATAAGAACAGTCCTTCCATGGAACT	
421	CAAAATGGCCGTAACAGAAGCAAACCTAATGAAGGCTGGCT	480
	GTTTTACCGGCATTGTCTTCGTTTGGATTACTTCCGACCGA	
481	<u>AATTCTCAAGGATCCACATCTTATGACTCCAAATGCACTTTCATACAAATCAGCAATGAG</u>	540
	TTAAGAGTTCCTAGGTGTAGAATACTGAGGTTTACGTGAAAGTATGTTTAGTCGTTACTC	
541	<u>AGAGAATATGTTGAGGCAGGGATACAGAATTGTTGGAATGATTGGTGATCAATGGAGCGA</u>	600
	TCTCTTATACAACTCCGTCCCTATGTCTTAACAACCTTACTAACCACTAGTTACCTCGCT	
601	TCTGCTTGGAGACCACATGGGCGAATCTAGAACCTTTAAGCTTCCTAATCCCATGTACTA	660
	AGACGAACCTCTGGTGTACCCGCTTAGATCTTGGAAATTCGAAGGATTAGGGTACATGAT	
661	CATGGAGGCGGCCGC 675	
	GTACCTCCGCCGGCG	
	NotI	

COLONY LIFT ASSAY TO DETECT PROTEIN-PROTEIN INTERACTIONS




FIG. 5.